


Technical data sheet Trunking, type WDK 15030




Trunking cover and base with base perforation.


Type	Colour	Length mm	Pack. m	Weight kg/100 m	Art-No.
WDK15030RW	Pure white; RAL 9010	2000	48	19.500	6191010
WDK15030CW	Cream; RAL 9001	2000	48	19.500	6025013
WDK15030GR	Stone grey; RAL 7030	2000	48	19.500	6025005

PVC Polyvinylchloride

/m



Technical data sheet Trunking, type WDK 25040




Trunking cover and base with base opening.


Type	Colour	Length mm	Pack. m	Weight kg/100 m	Art-No.
WDK25040RW	Pure white; RAL 9010	2000	24	30.000	6191061
WDK25040CW	Cream; RAL 9001	2000	24	30.000	6026451
WDK25040GR	Stone grey; RAL 7030	2000	24	30.000	6026443

PVC Polyvinylchloride

/m



Technical data sheet Trunking, type WDK 40090



Trunking cover and base with base perforation.

Type	Colour	Length mm	Pack. m	Weight kg/100 m	Art-No.
WDK40090RW	Pure white; RAL 9010	2000	32	77.300	6191142
WDK40090CW	Cream; RAL 9001	2000	32	77.300	6020895
WDK40090LGR	Light grey; RAL 7035	2000	32	77.300	6027032
WDK40090GR	Stone grey; RAL 7030	2000	32	77.300	6021018

PVC Polyvinylchloride

/m

